What is claimed is:

5

10

15

20

25

30

 A Web server for transmitting a Web page to a terminal device of a user via a network, comprising:

an operation portion for determining the entire or a part of contents of the Web page in accordance with a parameter designated by the user;

a contents information process portion for making a storage portion store one or more contents information indicating the contents determined by the operation portion in connection with the Web page and the user;

a Web page generation portion for generating the Web page in accordance with the contents information; and

a transmission portion for transmitting the generated Web page to the terminal device of the user.

2. A Web server according to claim 1, wherein the Web page generation portion generates the Web page by obtaining only contents information necessary for generating the Web page among the contents information from the contents information process portion, and

the contents information process portion makes the storage portion store only the contents information given to the Web page generation portion among the contents information.

- 3. A Web server according to claim 1, further comprising a Web page regeneration portion for generating a Web page designated by an administrator among the Web pages in accordance with the contents information of the designated Web page stored in the storage portion.
 - 4. A Web server having a function of a Java servlet

for transmitting a Web page to a terminal device of a user via a network, comprising:

a business logic for determining the entire or a part of contents of the Web page in accordance with a parameter designated by the user;

a contents information process logic for making a storage portion store one or more contents information indicating the contents determined by the business logic in connection with the Web page and the user;

a screen generating logic for generating the Web page in accordance with the contents information; and

10

15

20

25

30

a transmission logic for transmitting the generated Web page to the terminal device of the user.

5. A Web server having a function of a Java servlet according to claim 4, wherein the screen generating logic generates the Web page by obtaining only contents information necessary for generating the Web page among the contents information from the contents information process logic, and

the contents information process logic makes the storage portion store only the contents information given to the screen generating logic among the contents information.

- 6. A Web server having a function of a Java servlet according to claim 4, further comprising a replay logic for generating a Web page designated by an administrator among the Web pages in accordance with the contents information of the designated Web page stored in the storage portion.
 - 7. A computer readable medium storing a computer

program that is used for a computer having a function of a Java servlet for transmitting a Web page to a terminal device of a user via a network, the computer program making the computer execute the process comprising the steps of:

providing a screen generating logic for generating the Web page with only contents information necessary for generating the Web page among one or more contents information indicating the entire or a part of contents of the Web page determined by a business logic in accordance with a parameter designated by the user; and

10

15

making a storage portion store only the contents information given to the screen generating logic among the one or more contents information in connection with the Web page and the user.